

SAFETY DATA SHEET

Issuing Date 02-Apr-2018 Revision Date 02-Apr-2018 Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name M1 Fine Line Permanent Marker

Other means of identification

Product Code(s) 10581 M1 Black

10581 M1 Red

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Solvent based marker

Uses advised against Keep away from children. Not for use on skin.

Supplier's details

Supplier Address

U-Mark, Inc 102 Iowa Ave. Belleville, IL 62220 TEL: 618-235-7500

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

Number 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

This product is not considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Label Elements

Signal Word

Not Classified

None

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Propylene glycol monomethyl ether	107-98-2	50-80	-	-
Ethanol	64-17-5	0-15	-	-
Benzyl alcohol	100-51-6	5-10	-	-
Methyl lactate	547-64-8	0-6	-	-
Propyl alcohol	71-23-8	0-2	-	-
Isopropyl alcohol	67-63-0	0-1	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice Under normal conditions of use first aid is not required.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation persists.

Skin Contact Wash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Ingestion Not an expected route of exposure.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects None known

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the The ink contained in this product is flammable but not readily ignited.

Chemical

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all sources of ignition.

Environmental Precautions

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment None required.

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Keep away from open flames, hot surfaces and sources of ignition.

Conditions for safe storage, including any incompatibilities

Storage Store in a well-ventilated place. Keep cool.

Incompatible ProductsNone known based on information supplied.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThe following exposure limits are provided for information only; exposure is not expected under normal conditions of use or storage.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propylene glycol monomethyl ether	STEL: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm
107-98-2	TWA: 50 ppm	(vacated) TWA: 360 mg/m ³	TWA: 360 mg/m ³
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 540 mg/m ³	STEL: 540 mg/m ³
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm 10% LEL
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	_
Propyl alcohol	TWA: 100 ppm	TWA: 200 ppm	IDLH: 800 ppm
71-23-8		TWA: 500 mg/m ³	TWA: 200 ppm
		(vacated) TWA: 200 ppm	TWA: 500 mg/m ³
	(v		STEL: 250 ppm
			STEL: 625 mg/m ³
		(vacated) STEL: 625 mg/m ³	
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 980 mg/m ³
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	_

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/Face ProtectionNo protective equipment is needed under normal use conditions.Skin and Body ProtectionNo protective equipment is needed under normal use conditions.Respiratory ProtectionNo protective equipment is needed under normal use conditions.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid. Appearance Red, Black.

Odor Solvent. Odor Threshold No information available.

Property Values Remarks/ - Method

No data available None known pН Melting Point/Range No data available None known **Boiling Point/Boiling Range** 121 °C / 249.8 °F None known Flash Point 25-35 °C / 77-95 °F (Liquid Ink only) **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limits in Air

upper flammability limit 11.8% lower flammability limit 2.7%

Vapor Pressure No data available None known None known **Vapor Density** 3.1 (air = 1)**Relative Density** No data available None known **Specific Gravity** 0.9 None known Water Solubility Insoluble None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known **Decomposition Temperature** No data available None known **Viscosity** No data available None known

Flammable Properties Flammable.

Explosive Properties No data available
Oxidizing Properties No data available

Other information

VOC Content (%) 79-90

10. STABILITY AND REACTIVITY

Reactivity No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

Possibility of hazardous reactions
None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

<u>Conditions to avoid</u> None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationNo known effect based on information supplied.Eye ContactNo known effect based on information suppliedSkin ContactNo known effect based on information suppliedIngestionNo known effect based on information supplied

Numerical measures of toxicity - Product

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Propylene glycol monomethyl ether	= 5000 mg/kg (Rat)	= 13 g/kg (Rabbit)	> 7559 ppm (Rat) 6 h
Ethanol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Benzyl alcohol	= 1230 mg/kg (Rat)	= 2000 mg/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization

Germ Cell Mutagenicity

No information available No information available

No information available

CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a carcinogen.

Ethanol has been shown to be carcinogenic in long-term studies only when consumed and

abused as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	X
Isopropyl alcohol		Group 3		X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available
No information available
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Not classified

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Propylene glycol		LC50 96 h: 4600 - 10000		EC50 48 h: = 23300 mg/L
monomethyl ether		mg/L static (Leuciscus idus)		(Daphnia magna)
107-98-2		LC50 96 h: = 20.8 g/L static		
		(Pimephales promelas)		
Ethanol		LC50 96 h: 12.0 - 16.0 mL/L	EC50 = 34634 mg/L 30 min	LC50 48 h: 9268 - 14221
64-17-5		static (Oncorhynchus	EC50 = 35470 mg/L 5 min	mg/L (Daphnia magna)

		mykiss) LC50 96 h: 13400 - 15100 mg/L flow-through (Pimephales promelas) LC50 96 h: > 100 mg/L static (Pimephales promelas)		EC50 24 h: = 10800 mg/L (Daphnia magna) EC50 48 h: = 2 mg/L Static (Daphnia magna)
Benzyl alcohol 100-51-6	EC50 3 h: = 35 mg/L (Anabaena variabilis)	LC50 96 h: = 10 mg/L static (Lepomis macrochirus) LC50 96 h: = 460 mg/L static (Pimephales promelas)	S	EC50 48 h: = 23 mg/L (water flea)

Persistence and Degradability No information available

Bioaccumulation No information available

Chemical Name	Log Pow
Propylene glycol monomethyl ether	-0.437
Ethanol	-0.32
Benzyl alcohol	1.1
Propyl alcohol	0.34
Isopropyl alcohol	0.05

Mobility No information available

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated Packaging Not Applicable

14. TRANSPORT INFORMATION

DOTNot regulatedTDGNot regulatedMEXNot regulated.

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substancesNot applicablePersistent Organic PollutantsNot applicableHazardous WasteNot applicable

Chemical Name	Basel Convention (Hazardous Wastes)
Ethanol	Y42
Isopropyl alcohol	Y42

The Rotterdam Convention (Prior

Informed Consent)

Not applicable

International Convention for the Prevention of Pollution from Ships

Not applicable

(MARPOL)

International Inventories

TSCA Contact supplier for inventory compliance status DSL/NDSL Contact supplier for inventory compliance status

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals: Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	CAS-No	California Prop. 65
Ethanol	64-17-5	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Propylene glycol monomethyl ether	X	Х	Х	Х	Х
Ethanol	X	X	X	X	
Benzyl alcohol	-	Х	Х	=	=
Propyl alcohol	X	X	X		X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA_	Health Hazard 0	Flammability 2	Instability 0	Physical and Chemical Hazards -	
<u>HMIS</u>	Health Hazard 0	Flammability 2	Physical Hazard 0	Personal Protection X	
Prepared By Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501					
Issuing Date Revision Date	02-Apr-2 02-Apr-2				

General Disclaimer

Revision Note

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Initial Release.

End of Safety Data Sheet